



ISITEEK™

The simple DIY decking solution for your boat





WELCOME TO ISITEEK

Isiteek is a D-I-Y decking solution that's a great way to get the look of a teak deck.

Explore the possibilities of creating your own deck at home with Isiteek.

Designed with safety in mind, Isiteek is not only a non-slip surface but also fire-resistant.

Isiteek is 100% recyclable, and has been created to be simple to install on your boat.

Our comprehensive installation resources will help you get started.

DIY DECK

A cost-effective alternative to get the look and underfoot feel of a synthetic teak deck at a fraction of the cost.



THE BENEFITS OF AN ISITEEK DECK

Isiteek is where beautiful decking meets DIY.

It has been designed to cope in all weather conditions.

It's trusted by boat owners all over the world and made in the UK.

A simple installation video and guide are available to help you get started.

Isiteek is a hardwearing and long lasting decking solution.

It's a great way to get the look of a teak deck for even the smallest boat.

To find out more, locate your local dealer and download installation resources to get started visit www.isiteek.com.

SIMPLE TO INSTALL

Our decking system is designed to be simple and straightforward, allowing you to assemble your deck with ease, saving you time and effort.

MATERIAL GUARANTEE

Trust in the quality of Isiteek with our 2-year material guarantee.

ISITEEK DOUBLE PLANK 2 X 45

The foundation of the Isiteek decking collection is the double plank, which forms the essential structure of the deck. The 2x45 boasts a double plank design, incorporating a tongue and groove system for convenient gluing.



ISITEEK 2X45 PB



ISITEEK 2X45 PW



ISITEEK MARGIN BOARDS

For a seamless look, add margin boards.

The 60MB/60MW features a white or black co-extruded caulk line that runs down the edge of the profile and can be bent around a radius.

For sharper curves, opt for the 125 KP.

The 60 MW is 60mm wide, comprising a 55mm plank and a 5mm caulk line.



ISITEEK 60 MB




ISITEEK 60 MW

ISITEEK KING PLANK

King Plank is a wide solid plank without caulking lines, with a profile width of 125mm, supplied as a 2m roll, covering 0.33m² per product.

Use the 125 KP when the radius is too sharp for 60 MW/MB.



YOU WILL NEED THESE TO GET STARTED

ROLLER CRANE 333

Use the Crane 333 roller to roll along the planks, expel the air, eliminate air bubbles, and ensure even and total contact.



GLUE

Each plank is glued together along the seam. Ask your dealer for this product.



ISITEEK CAULKING ADHESIVE

Use the Isiteek caulking adhesive to bond the Isiteek panel.

Pack Specification: Each package contains 310 ml.
Colors available: black and white.



CREATE A DECK IN THREE SIMPLE STEPS

Installing Isiteek is simple and straightforward.



TEMPLATE YOUR DECK

Create a deck template using a suitable paper.



BUILD YOUR DECK

Start to create your decking to fit your template.



INSTALL YOUR DECK

Apply your assembled panels to your boat.

PERFECT FOR A BOAT LIKE YOURS...



ISITEEK™

A Flexiteek Group Product.

CONTACT US

W www.isiteek.com
W www.flexiteek.com

FLEXITEEK

Beautifully engineered synthetic decking
and marine products.